

Bæreevnetabel

22-06-2021

| RB 30/48 | | g= | 3,46 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
|-----------------|----------|------|----------|-----------------|---------|--------|-------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| Armering: | | MRd | 397,17 | kNm | qRd | 134,45 | 84,81 | 57,84 | 41,58 | | | | | | | | | kN/m |
| | | Mrev | 261,89 | kNm | qrev | 87,48 | 54,74 | 36,96 | 26,24 | | | | | | | | | kN/m |
| | | Moo | 203,54 | kNm | qoo | 67,22 | 41,77 | 27,95 | 19,62 | | | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 135,19 | kNm | qbal | 43,49 | 26,59 | 17,41 | 11,87 | | | | | | | | | kN/m |
| | 0 | VRd | 347,23 | kN | | | | | | | | | | | | | | kN/m |
| Liner | L 12,5 : | d | 420 | mm | ulev | -6,9 | -10,5 | -14,4 | -18,5 | | | | | | | | | mm |
| | | 2 | | | uoo | -0,7 | -1,0 | -1,1 | -1,2 | | | | | | | | | mm |
| midt | 0 | At | 1,49E+05 | mm ² | u10kort | 0,6 | 1,5 | 3,2 | 5,9 | | | | | | | | | mm |
| bund | 8 | y | 236,4 | mm | u10lang | 1,4 | 3,5 | 7,3 | 13,6 | | | | | | | | | mm |
| | | lk | 2,93E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/48 | | g= | 3,46 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 397,17 | kNm | qRd | | 84,81 | 57,84 | 41,58 | 31,02 | | | | | | | | kN/m |
| | | Mrev | 261,89 | kNm | qrev | | 54,74 | 36,96 | 26,24 | 19,28 | | | | | | | | kN/m |
| | | Moo | 203,54 | kNm | qoo | | 41,77 | 27,95 | 19,62 | 14,21 | | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 135,19 | kNm | qbal | | 26,59 | 17,41 | 11,87 | 8,28 | | | | | | | | kN/m |
| | 0 | VRd | 347,23 | kN | | | | | | | | | | | | | | kN/m |
| Liner | L 12,5 : | d | 420 | mm | ulev | | -10,5 | -14,4 | -18,5 | -22,6 | | | | | | | | mm |
| | | 2 | | | uoo | | -1,0 | -1,1 | -1,2 | -1,0 | | | | | | | | mm |
| midt | 0 | At | 1,49E+05 | mm ² | u10kort | | 1,5 | 3,2 | 5,9 | 10,1 | | | | | | | | mm |
| bund | 8 | y | 236,4 | mm | u10lang | | 3,5 | 7,3 | 13,6 | 23,1 | | | | | | | | mm |
| | | lk | 2,93E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/48 | | g= | 3,46 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 463,00 | kNm | qRd | | | 67,99 | 49,04 | 36,74 | 28,30 | | | | | | | kN/m |
| | | Mrev | 311,89 | kNm | qrev | | | 44,68 | 31,91 | 23,62 | 17,94 | | | | | | | kN/m |
| | | Moo | 252,05 | kNm | qoo | | | 35,44 | 25,12 | 18,42 | 13,83 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 172,29 | kNm | qbal | | | 23,13 | 16,08 | 11,50 | 8,36 | | | | | | | kN/m |
| | 0 | VRd | 342,27 | kN | | | | | | | | | | | | | | kN/m |
| Liner | L 12,5 : | d | 414 | mm | ulev | | | -18,8 | -24,5 | -30,4 | -36,2 | | | | | | | mm |
| | | 2 | | | uoo | | | -2,5 | -3,0 | -3,3 | -3,4 | | | | | | | mm |
| midt | 0 | At | 1,50E+05 | mm ² | u10kort | | | 3,2 | 5,9 | 10,0 | 16,0 | | | | | | | mm |
| bund | 10 | y | 235,4 | mm | u10lang | | | 7,3 | 13,5 | 23,0 | 36,8 | | | | | | | mm |
| | | lk | 2,95E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/48 | | g= | 3,46 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 550,30 | kNm | qRd | | | | 58,94 | 44,31 | 34,29 | 27,12 | | | | | | kN/m |
| | | Mrev | 376,31 | kNm | qrev | | | | 39,21 | 29,21 | 22,35 | 17,45 | | | | | | kN/m |
| | | Moo | 312,49 | kNm | qoo | | | | 31,97 | 23,67 | 17,98 | 13,90 | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 216,04 | kNm | qbal | | | | 21,04 | 15,30 | 11,36 | 8,55 | | | | | | kN/m |
| | 628 | VRd | 338,96 | kN | | | | | | | | | | | | | | kN/m |
| Liner | L 12,5 : | d | 410 | mm | ulev | | | | -30,5 | -38,3 | -46,3 | -54,1 | | | | | | mm |
| | | 2 | | | uoo | | | | -4,5 | -5,3 | -5,9 | -6,2 | | | | | | mm |
| midt | 0 | At | 1,54E+05 | mm ² | u10kort | | | | 5,6 | 9,6 | 15,4 | 23,4 | | | | | | mm |
| bund | 12 | y | 238,3 | mm | u10lang | | | | 12,9 | 22,0 | 35,3 | 53,8 | | | | | | mm |
| | | lk | 3,08E+09 | mm ⁴ | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 30/54 | | g= | 3,89 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
|-----------|----------|------|----------|-----------------|---------|-----|-----|-------|-------|-------|-------|-------|-------|------|------|------|------|------|
| Armering: | | MRd | 456,24 | kNm | qRd | | | 97,50 | 66,52 | 47,84 | 35,72 | | | | | | | kN/m |
| | | Mrev | 294,20 | kNm | qrev | | | 61,49 | 41,51 | 29,47 | 21,65 | | | | | | | kN/m |
| | | Moo | 225,64 | kNm | qoo | | | 46,25 | 30,93 | 21,69 | 15,70 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 148,50 | kNm | qbal | | | 29,11 | 19,03 | 12,95 | 9,00 | | | | | | | kN/m |
| | 0 | VRd | 388,57 | kN | | | | | | | | | | | | | | kN/m |
| Liner | L 12,5 : | d | 470 | mm | ulev | | | -8,1 | -11,1 | -14,3 | -17,4 | | | | | | | mm |
| | | 2 | | | uoo | | | -0,6 | -0,7 | -0,7 | -0,4 | | | | | | | mm |
| midt | 0 | At | 1,67E+05 | mm ² | u10kort | | | 1,1 | 2,3 | 4,2 | 7,1 | | | | | | | mm |
| bund | 8 | y | 266,5 | mm | u10lang | | | 2,5 | 5,2 | 9,6 | 16,4 | | | | | | | mm |
| | | lk | 4,15E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/54 | | g= | 3,89 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 526,23 | kNm | qRd | | | 77,32 | 55,78 | 41,79 | 32,20 | | | | | | | kN/m |
| | | Mrev | 343,61 | kNm | qrev | | | 49,14 | 35,07 | 25,94 | 19,68 | | | | | | | kN/m |
| | | Moo | 273,89 | kNm | qoo | | | 38,38 | 27,17 | 19,89 | 14,90 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 183,24 | kNm | qbal | | | 24,39 | 16,89 | 12,02 | 8,68 | | | | | | | kN/m |
| | 0 | VRd | 378,64 | kN | | | | | | | | | | | | | | kN/m |
| Liner | L 12,5 : | d | 458 | mm | ulev | | | -14,1 | -18,3 | -22,7 | -26,8 | | | | | | | mm |
| | | 2 | | | uoo | | | -1,4 | -1,6 | -1,6 | -1,4 | | | | | | | mm |
| midt | 0 | At | 1,68E+05 | mm ² | u10kort | | | 2,2 | 4,2 | 7,1 | 11,3 | | | | | | | mm |
| bund | 10 | y | 265,7 | mm | u10lang | | | 5,2 | 9,5 | 16,3 | 26,1 | | | | | | | mm |
| | | lk | 4,16E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/54 | | g= | 3,89 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 589,98 | kNm | qRd | | | | 63,00 | 47,33 | 36,58 | 28,89 | | | | | | kN/m |
| | | Mrev | 392,33 | kNm | qrev | | | | 40,59 | 30,17 | 23,02 | 17,91 | | | | | | kN/m |
| | | Moo | 321,46 | kNm | qoo | | | | 32,56 | 24,02 | 18,16 | 13,97 | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 217,57 | kNm | qbal | | | | 20,78 | 15,00 | 11,03 | 8,20 | | | | | | kN/m |
| | 0 | VRd | 372,03 | kN | | | | | | | | | | | | | | kN/m |
| Liner | L 12,5 : | d | 450 | mm | ulev | | | | -22,3 | -27,8 | -33,3 | -38,6 | | | | | | mm |
| | | 2 | | | uoo | | | | -2,5 | -2,8 | -2,9 | -2,6 | | | | | | mm |
| midt | 0 | At | 1,69E+05 | mm ² | u10kort | | | | 4,1 | 7,0 | 11,3 | 17,2 | | | | | | mm |
| bund | 12 | y | 264,9 | mm | u10lang | | | | 9,5 | 16,2 | 26,0 | 39,6 | | | | | | mm |
| | | lk | 4,18E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/54 | | g= | 3,89 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 636,46 | kNm | qRd | | | | | 51,36 | 39,76 | 31,47 | 25,33 | | | | | kN/m |
| | | Mrev | 430,87 | kNm | qrev | | | | | 33,51 | 25,66 | 20,05 | 15,89 | | | | | kN/m |
| | | Moo | 359,36 | kNm | qoo | | | | | 27,31 | 20,76 | 16,08 | 12,61 | | | | | kN/m |
| Sl. Arm. | As | Mbal | 241,43 | kNm | qbal | | | | | 17,07 | 12,67 | 9,52 | 7,20 | | | | | kN/m |
| | 0 | VRd | 362,58 | kN | | | | | | | | | | | | | | kN/m |
| Liner | L 12,5 : | d | 439 | mm | ulev | | | | | -31,4 | -37,9 | -44,2 | -50,1 | | | | | mm |
| | | 2 | | | uoo | | | | | -2,9 | -3,0 | -2,8 | -2,3 | | | | | mm |
| midt | 0 | At | 1,70E+05 | mm ² | u10kort | | | | | 7,0 | 11,3 | 17,2 | 25,1 | | | | | mm |
| bund | 14 | y | 264,3 | mm | u10lang | | | | | 16,2 | 25,9 | 39,5 | 57,8 | | | | | mm |
| | | lk | 4,19E+09 | mm ⁴ | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 30/60 | | g= | 4,32 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
|-----------|----------|------|----------|-----------------|---------|-----|--------|-------|-------|-------|-------|-------|-------|------|------|------|------|------|
| Armering: | | MRd | 528,31 | kNm | qRd | | 113,08 | 77,21 | 55,58 | 41,54 | | | | | | | | kN/m |
| | | Mrev | 336,32 | kNm | qrev | | 70,42 | 47,58 | 33,81 | 24,87 | | | | | | | | kN/m |
| | | Moo | 256,99 | kNm | qoo | | 52,79 | 35,34 | 24,82 | 17,99 | | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 172,06 | kNm | qbal | | 33,92 | 22,23 | 15,19 | 10,62 | | | | | | | | kN/m |
| | 0 | VRd | 438,17 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 530 | mm | ulev | | -6,9 | -9,5 | -12,2 | -14,9 | | | | | | | | mm |
| | | 2 | | | uoo | | -0,7 | -0,9 | -0,9 | -0,9 | | | | | | | | mm |
| midt | 0 | At | 1,85E+05 | mm ² | u10kort | | 0,8 | 1,6 | 3,0 | 5,2 | | | | | | | | mm |
| bund | 8 | y | 296,4 | mm | u10lang | | 1,8 | 3,8 | 7,0 | 12,0 | | | | | | | | mm |
| | | lk | 5,68E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/60 | | g= | 4,32 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 613,53 | kNm | qRd | | | 90,36 | 65,24 | 48,94 | 37,76 | | | | | | | kN/m |
| | | Mrev | 394,99 | kNm | qrev | | | 56,64 | 40,46 | 29,97 | 22,77 | | | | | | | kN/m |
| | | Moo | 314,24 | kNm | qoo | | | 44,17 | 31,31 | 22,96 | 17,23 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 214,55 | kNm | qbal | | | 28,79 | 20,01 | 14,30 | 10,40 | | | | | | | kN/m |
| | 0 | VRd | 428,25 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 518 | mm | ulev | | | -12,1 | -15,8 | -19,6 | -23,3 | | | | | | | mm |
| | | 2 | | | uoo | | | -1,6 | -1,9 | -2,1 | -2,1 | | | | | | | mm |
| midt | 0 | At | 1,86E+05 | mm ² | u10kort | | | 1,6 | 3,0 | 5,2 | 8,3 | | | | | | | mm |
| bund | 10 | y | 295,5 | mm | u10lang | | | 3,8 | 7,0 | 11,9 | 19,1 | | | | | | | mm |
| | | lk | 5,70E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/60 | | g= | 4,32 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 753,83 | kNm | qRd | | | | 81,15 | 61,12 | 47,38 | 37,56 | | | | | | kN/m |
| | | Mrev | 500,71 | kNm | qrev | | | | 52,45 | 39,14 | 30,02 | 23,50 | | | | | | kN/m |
| | | Moo | 417,68 | kNm | qoo | | | | 43,04 | 31,94 | 24,33 | 18,88 | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 288,06 | kNm | qbal | | | | 28,34 | 20,69 | 15,44 | 11,68 | | | | | | kN/m |
| | 0 | VRd | 412,19 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 499 | mm | ulev | | | | -22,0 | -27,7 | -33,5 | -39,3 | | | | | | mm |
| | | 2 | | | uoo | | | | -3,2 | -3,8 | -4,3 | -4,5 | | | | | | mm |
| midt | 0 | At | 1,88E+05 | mm ² | u10kort | | | | 3,0 | 5,1 | 8,2 | 12,5 | | | | | | mm |
| bund | 14 | y | 293,9 | mm | u10lang | | | | 6,9 | 11,8 | 18,9 | 28,8 | | | | | | mm |
| | | lk | 5,75E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/60 | | g= | 4,32 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 809,12 | kNm | qRd | | | | | 65,92 | 51,18 | 40,63 | 32,83 | | | | | kN/m |
| | | Mrev | 547,73 | kNm | qrev | | | | | 43,23 | 33,25 | 26,11 | 20,83 | | | | | kN/m |
| | | Moo | 463,83 | kNm | qoo | | | | | 35,94 | 27,49 | 21,45 | 16,98 | | | | | kN/m |
| Sl. Arm. | As | Mbal | 319,20 | kNm | qbal | | | | | 23,39 | 17,57 | 13,41 | 10,34 | | | | | kN/m |
| | 0 | VRd | 405,10 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 490 | mm | ulev | | | | | -31,0 | -37,8 | -44,6 | -51,2 | | | | | mm |
| | | 2 | | | uoo | | | | | -4,2 | -4,8 | -5,3 | -5,4 | | | | | mm |
| midt | 0 | At | 1,89E+05 | mm ² | u10kort | | | | | 5,1 | 8,2 | 12,5 | 18,3 | | | | | mm |
| bund | 16 | y | 293,2 | mm | u10lang | | | | | 11,8 | 18,9 | 28,7 | 42,1 | | | | | mm |
| | | lk | 5,76E+09 | mm ⁴ | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 30/72 | | g= | 5,18 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
|-----------|----------|------|----------|-----------------|---------|-----|-----|--------|-------|-------|-------|-------|-------|-------|------|------|------|------|
| Armering: | | MRd | 792,26 | kNm | qRd | | | 117,08 | 84,64 | 63,59 | 49,15 | | | | | | | kN/m |
| | | Mrev | 509,56 | kNm | qrev | | | 73,45 | 52,59 | 39,05 | 29,77 | | | | | | | kN/m |
| | | Moo | 394,70 | kNm | qoo | | | 55,73 | 39,57 | 29,08 | 21,89 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 277,36 | kNm | qbal | | | 37,62 | 26,26 | 18,89 | 13,84 | | | | | | | kN/m |
| | 0 | VRd | 527,46 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 638 | mm | ulev | | | -9,2 | -12,0 | -15,0 | -17,9 | | | | | | | mm |
| | | 2 | | | uoo | | | -1,6 | -2,0 | -2,4 | -2,6 | | | | | | | mm |
| midt | 0 | At | 2,22E+05 | mm ² | u10kort | | | 1,0 | 1,8 | 3,0 | 4,8 | | | | | | | mm |
| bund | 10 | y | 355,1 | mm | u10lang | | | 2,2 | 4,1 | 6,9 | 11,1 | | | | | | | mm |
| | | lk | 9,82E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/72 | | g= | 5,18 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 901,62 | kNm | qRd | | | | 97,04 | 73,08 | 56,66 | 44,91 | | | | | | kN/m |
| | | Mrev | 586,25 | kNm | qrev | | | | 61,28 | 45,71 | 35,03 | 27,39 | | | | | | kN/m |
| | | Moo | 469,31 | kNm | qoo | | | | 48,03 | 35,55 | 27,00 | 20,89 | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 334,91 | kNm | qbal | | | | 32,79 | 23,89 | 17,79 | 13,42 | | | | | | kN/m |
| | 0 | VRd | 520,84 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 630 | mm | ulev | | | | -14,8 | -18,6 | -22,5 | -26,4 | | | | | | mm |
| | | 2 | | | uoo | | | | -2,9 | -3,5 | -4,1 | -4,5 | | | | | | mm |
| midt | 0 | At | 2,23E+05 | mm ² | u10kort | | | | 1,8 | 3,0 | 4,8 | 7,3 | | | | | | mm |
| bund | 12 | y | 354,1 | mm | u10lang | | | | 4,0 | 6,9 | 11,0 | 16,8 | | | | | | mm |
| | | lk | 9,87E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/72 | | g= | 5,18 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 1055,31 | kNm | qRd | | | | | 86,42 | 67,20 | 53,44 | 43,27 | | | | | kN/m |
| | | Mrev | 685,61 | kNm | qrev | | | | | 54,33 | 41,84 | 32,91 | 26,29 | | | | | kN/m |
| | | Moo | 563,94 | kNm | qoo | | | | | 43,77 | 33,50 | 26,15 | 20,71 | | | | | kN/m |
| Sl. Arm. | As | Mbal | 348,08 | kNm | qbal | | | | | 25,03 | 18,69 | 14,15 | 10,80 | | | | | kN/m |
| | 0 | VRd | 504,31 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 610 | mm | ulev | | | | | -19,2 | -23,2 | -27,2 | -31,1 | | | | | mm |
| | | 4 | | | uoo | | | | | 0,9 | 1,4 | 2,3 | 3,4 | | | | | mm |
| midt | 0 | At | 2,26E+05 | mm ² | u10kort | | | | | 2,9 | 4,7 | 7,2 | 10,5 | | | | | mm |
| bund | 16 | y | 353,9 | mm | u10lang | | | | | 6,8 | 10,8 | 16,5 | 24,2 | | | | | mm |
| | | lk | 1,00E+10 | mm ⁴ | | | | | | | | | | | | | | |
| RB 30/72 | | g= | 5,18 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 1121,33 | kNm | qRd | | | | | | 71,73 | 57,11 | 46,30 | 38,08 | | | | kN/m |
| | | Mrev | 741,55 | kNm | qrev | | | | | | 45,68 | 36,01 | 28,86 | 23,43 | | | | kN/m |
| | | Moo | 618,88 | kNm | qoo | | | | | | 37,26 | 29,20 | 23,23 | 18,69 | | | | kN/m |
| Sl. Arm. | As | Mbal | 384,21 | kNm | qbal | | | | | | 21,17 | 16,16 | 12,46 | 9,64 | | | | kN/m |
| | 0 | VRd | 495,12 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 599 | mm | ulev | | | | | | -26,1 | -30,8 | -35,4 | -39,6 | | | | mm |
| | | 4 | | | uoo | | | | | | 1,1 | 1,9 | 3,0 | 4,4 | | | | mm |
| midt | 0 | At | 2,27E+05 | mm ² | u10kort | | | | | | 4,7 | 7,2 | 10,5 | 14,8 | | | | mm |
| bund | 18 | y | 353,2 | mm | u10lang | | | | | | 10,8 | 16,5 | 24,1 | 34,1 | | | | mm |
| | | lk | 1,01E+10 | mm ⁴ | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 30/84 | | | g= | 6,05 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | |
|-----------|----------|------|----------|-----------------|---------|---------|-----|-----|-------|--------|-------|-------|-------|-------|-------|-------|-------|------|---|------|------|------|
| Armering: | | MRd | 1095,25 | kNm | qRd | | | | | 118,13 | 89,03 | 69,07 | 54,80 | | | | | | | kN/m | | |
| | | Mrev | 683,20 | kNm | qrev | | | | | 71,41 | 53,26 | 40,81 | 31,91 | | | | | | | | kN/m | |
| | | Moo | 523,83 | kNm | qoo | | | | | 53,34 | 39,42 | 29,88 | 23,05 | | | | | | | | kN/m | |
| Sl. Arm. | As | Mbal | 317,21 | kNm | qbal | | | | 29,92 | 21,49 | 15,71 | 11,58 | | | | | | | | | kN/m | |
| | 0 | VRd | 620,05 | kN | | | | | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 750 | mm | ulev | | | | | -8,5 | -10,6 | -12,7 | -14,6 | | | | | | | | mm | |
| | | 4 | | | uoo | | | | | 0,7 | 1,0 | 1,6 | 2,3 | | | | | | | | | mm |
| midt | 0 | At | 2,60E+05 | mm ² | u10kort | | | | | 1,1 | 1,9 | 3,0 | 4,6 | | | | | | | | mm | |
| bund | 12 | y | 415,2 | mm | u10lang | | | | | 2,5 | 4,3 | 6,9 | 10,5 | | | | | | | | | mm |
| | | lk | 1,58E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 30/84 | | | g= | 6,05 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | |
| Armering: | | MRd | 1215,38 | kNm | qRd | | | | | | 99,45 | 77,31 | 61,47 | 49,75 | | | | | | | kN/m | |
| | | Mrev | 768,78 | kNm | qrev | | | | | | 60,69 | 46,68 | 36,66 | 29,25 | | | | | | | | kN/m |
| | | Moo | 607,22 | kNm | qoo | | | | | | 46,66 | 35,60 | 27,69 | 21,83 | | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 379,70 | kNm | qbal | | | | | 26,91 | 19,99 | 15,05 | 11,39 | | | | | | | | | kN/m |
| | 0 | VRd | 610,60 | kN | | | | | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 739 | mm | ulev | | | | | | -13,1 | -15,8 | -18,5 | -21,0 | | | | | | | | mm |
| | | 4 | | | uoo | | | | | | 0,3 | 0,7 | 1,2 | 2,0 | | | | | | | | mm |
| midt | 0 | At | 2,61E+05 | mm ² | u10kort | | | | | | 1,9 | 3,0 | 4,6 | 6,7 | | | | | | | | mm |
| bund | 14 | y | 414,2 | mm | u10lang | | | | | | 4,3 | 6,9 | 10,5 | 15,3 | | | | | | | | mm |
| | | lk | 1,58E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 30/84 | | | g= | 6,05 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | |
| Armering: | | MRd | 1425,12 | kNm | qRd | | | | | | | 91,70 | 73,13 | 59,38 | 48,93 | | | | | | kN/m | |
| | | Mrev | 928,25 | kNm | qrev | | | | | | | 57,62 | 45,52 | 36,57 | 29,76 | | | | | | | kN/m |
| | | Moo | 762,92 | kNm | qoo | | | | | | | 46,28 | 36,34 | 28,98 | 23,39 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 493,11 | kNm | qbal | | | | | | 27,77 | 21,35 | 16,59 | 12,98 | | | | | | | | kN/m |
| | 0 | VRd | 594,33 | kN | | | | | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 719 | mm | ulev | | | | | | | -21,5 | -25,5 | -29,5 | -33,3 | | | | | | | mm |
| | | 4 | | | uoo | | | | | | | -0,7 | -0,5 | -0,1 | 0,6 | | | | | | | mm |
| midt | 0 | At | 2,63E+05 | mm ² | u10kort | | | | | | | 3,0 | 4,5 | 6,6 | 9,4 | | | | | | | mm |
| bund | 18 | y | 412,5 | mm | u10lang | | | | | | | 6,8 | 10,4 | 15,2 | 21,6 | | | | | | | mm |
| | | lk | 1,59E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 30/84 | | | g= | 6,05 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | |
| Armering: | | MRd | 1514,97 | kNm | qRd | | | | | | | | 78,12 | 63,51 | 52,40 | 43,75 | | | | | kN/m | |
| | | Mrev | 1002,09 | kNm | qrev | | | | | | | | | 49,62 | 39,96 | 32,61 | 26,89 | | | | | kN/m |
| | | Moo | 835,18 | kNm | qoo | | | | | | | | | 40,35 | 32,30 | 26,17 | 21,41 | | | | | kN/m |
| Sl. Arm. | As | Mbal | 544,13 | kNm | qbal | | | | | | | | | 24,18 | 18,94 | 14,94 | 11,84 | | | | | kN/m |
| | 0 | VRd | 586,98 | kN | | | | | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 710 | mm | ulev | | | | | | | | -28,6 | -33,3 | -37,8 | -42,0 | | | | | | mm |
| | | 4 | | | uoo | | | | | | | | | -1,1 | -0,8 | -0,4 | 0,4 | | | | | |
| midt | 0 | At | 2,64E+05 | mm ² | u10kort | | | | | | | | | 4,5 | 6,6 | 9,4 | 12,9 | | | | | mm |
| bund | 20 | y | 411,8 | mm | u10lang | | | | | | | | | 10,4 | 15,2 | 21,5 | 29,6 | | | | | mm |
| | | lk | 1,60E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 30/96 | | | g= | 6,91 | kN/m | længde: | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | m | | | |
|-----------|---------------|------|----------|-----------------|---------|---------|-----|-----|-----|--------|--------|-------|-------|-------|-------|-------|-------|------|---|------|------|------|
| Armering: | | MRd | 1350,12 | kNm | qRd | | | | | 110,29 | 85,69 | 68,09 | 55,08 | | | | | | | kN/m | | |
| | | Mrev | 849,32 | kNm | qrev | | | | | 66,81 | 51,34 | 40,27 | 32,08 | | | | | | | | kN/m | |
| | | Moo | 641,44 | kNm | qoo | | | | | 48,77 | 37,08 | 28,72 | 22,54 | | | | | | | | kN/m | |
| Sl. Arm. | As | Mbal | 410,90 | kNm | qbal | | | | | 28,76 | 21,27 | 15,92 | 11,95 | | | | | | | | kN/m | |
| | 0 | VRd | 735,79 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 890 | mm | ulev | | | | | -9,5 | -11,4 | -13,2 | -15,0 | | | | | | | | mm | |
| | | | | | uoo | | | | | -0,1 | 0,1 | 0,4 | 0,8 | | | | | | | | | mm |
| midtbund | 0 12 | At | 2,96E+05 | mm ² | u10kort | | | | | 1,3 | 2,0 | 3,1 | 4,5 | | | | | | | | mm | |
| | | y | 474,6 | mm | u10lang | | | | | 2,9 | 4,6 | 7,0 | 10,3 | | | | | | | | | mm |
| | | lk | 2,35E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 30/96 | | | g= | 6,91 | kN/m | længde: | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | m | | | |
| Armering: | | MRd | 1667,15 | kNm | qRd | | | | | | 107,43 | 85,71 | 69,63 | 57,41 | | | | | | | kN/m | |
| | | Mrev | 1077,63 | kNm | qrev | | | | | | 67,00 | 52,96 | 42,57 | 34,66 | | | | | | | | kN/m |
| | | Moo | 862,67 | kNm | qoo | | | | | | 52,26 | 41,01 | 32,70 | 26,37 | | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 586,68 | kNm | qbal | | | | | | 33,33 | 25,68 | 20,02 | 15,72 | | | | | | | | kN/m |
| | 0 | VRd | 723,39 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 875 | mm | ulev | | | | | | -17,3 | -20,5 | -23,8 | -26,9 | | | | | | | | mm |
| | | | | | uoo | | | | | | -2,0 | -2,2 | -2,3 | -2,2 | | | | | | | | |
| midtbund | 0 16 | At | 2,98E+05 | mm ² | u10kort | | | | | | 2,0 | 3,0 | 4,4 | 6,3 | | | | | | | | mm |
| | | y | 472,2 | mm | u10lang | | | | | | 4,6 | 7,0 | 10,2 | 14,5 | | | | | | | | |
| | | lk | 2,37E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 30/96 | | | g= | 6,91 | kN/m | længde: | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | m | | | |
| Armering: | | MRd | 1916,54 | kNm | qRd | | | | | | | 99,56 | 81,08 | 67,03 | 56,09 | | | | | | kN/m | |
| | | Mrev | 1254,85 | kNm | qrev | | | | | | | 62,80 | 50,70 | 41,50 | 34,34 | | | | | | | kN/m |
| | | Moo | 1031,58 | kNm | qoo | | | | | | | 50,40 | 40,45 | 32,89 | 27,00 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 648,97 | kNm | qbal | | | | | | | 29,14 | 22,88 | 18,13 | 14,42 | | | | | | | kN/m |
| | 0 | VRd | 712,65 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 6 | d | 862 | mm | ulev | | | | | | | -22,8 | -26,5 | -30,2 | -33,7 | | | | | | | mm |
| | | | | | uoo | | | | | | | 0,4 | 0,9 | 1,5 | 2,4 | | | | | | | |
| midtbund | 0 20 | At | 3,01E+05 | mm ² | u10kort | | | | | | | 3,0 | 4,4 | 6,2 | 8,5 | | | | | | | mm |
| | | y | 471,4 | mm | u10lang | | | | | | | 6,9 | 10,1 | 14,2 | 19,6 | | | | | | | |
| | | lk | 2,41E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 30/96 | | | g= | 6,91 | kN/m | længde: | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | m | | | |
| Armering: | | MRd | 2038,52 | kNm | qRd | | | | | | | | 86,68 | 71,73 | 60,10 | 50,87 | | | | | kN/m | |
| | | Mrev | 1357,54 | kNm | qrev | | | | | | | | | 55,42 | 45,46 | 37,71 | 31,57 | | | | | kN/m |
| | | Moo | 1131,42 | kNm | qoo | | | | | | | | | 45,04 | 36,74 | 30,28 | 25,16 | | | | | kN/m |
| Sl. Arm. | As | Mbal | 724,82 | kNm | qbal | | | | | | | | | 26,37 | 21,05 | 16,92 | 13,63 | | | | | kN/m |
| | 0 | VRd | 707,23 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 6 | d | 855 | mm | ulev | | | | | | | | -30,2 | -34,6 | -38,9 | -42,9 | | | | | | mm |
| | | | | | uoo | | | | | | | | | -0,2 | 0,2 | 0,9 | 1,8 | | | | | |
| midtbund | 0 22 | At | 3,02E+05 | mm ² | u10kort | | | | | | | | 4,4 | 6,2 | 8,5 | 11,4 | | | | | | mm |
| | | y | 470,4 | mm | u10lang | | | | | | | | | 10,0 | 14,2 | 19,5 | 26,3 | | | | | |
| | | lk | 2,42E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |