

Bæreevnetabel

22-06-2021

| RB 36/48 | | g= | 4,15 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
|-----------------|----------|------|----------|-----------------|---------|--------|--------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| Armering: | | MRd | 414,60 | kNm | qRd | 139,81 | 87,99 | 59,83 | 42,86 | | | | | | | | | kN/m |
| | | Mrev | 271,87 | kNm | qrev | 90,25 | 56,27 | 37,81 | 26,68 | | | | | | | | | kN/m |
| | | Moo | 203,71 | kNm | qoo | 66,58 | 41,12 | 27,29 | 18,95 | | | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 135,96 | kNm | qbal | 43,06 | 26,07 | 16,83 | 11,27 | | | | | | | | | kN/m |
| | 0 | VRd | 347,23 | kN | | | | | | | | | | | | | | kN/m |
| Liner top | L 12,5 : | d | 420 | mm | ulev | -5,8 | -8,7 | -11,8 | -15,0 | | | | | | | | | mm |
| | 2 | | | | uoo | -0,6 | -0,8 | -0,9 | -0,9 | | | | | | | | | mm |
| midtbund | 0 | At | 1,78E+05 | mm ² | u10kort | 0,5 | 1,3 | 2,7 | 5,0 | | | | | | | | | mm |
| | 8 | y | 237,0 | mm | u10lang | 1,2 | 3,0 | 6,2 | 11,4 | | | | | | | | | mm |
| | | lk | 3,48E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 36/48 | | g= | 4,15 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 485,81 | kNm | qRd | | 103,81 | 70,82 | 50,93 | 38,02 | | | | | | | | kN/m |
| | | Mrev | 322,21 | kNm | qrev | | 67,46 | 45,58 | 32,38 | 23,82 | | | | | | | | kN/m |
| | | Moo | 252,55 | kNm | qoo | | 51,97 | 34,83 | 24,49 | 17,78 | | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 173,45 | kNm | qbal | | 34,40 | 22,62 | 15,52 | 10,91 | | | | | | | | kN/m |
| | 0 | VRd | 342,27 | kN | | | | | | | | | | | | | | kN/m |
| Liner top | L 12,5 : | d | 414 | mm | ulev | | -11,3 | -15,6 | -20,2 | -24,7 | | | | | | | | mm |
| | 2 | | | | uoo | | -1,6 | -2,1 | -2,5 | -2,6 | | | | | | | | mm |
| midtbund | 0 | At | 1,79E+05 | mm ² | u10kort | | 1,3 | 2,7 | 4,9 | 8,4 | | | | | | | | mm |
| | 10 | y | 236,2 | mm | u10lang | | 3,0 | 6,1 | 11,3 | 19,3 | | | | | | | | mm |
| | | lk | 3,51E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 36/48 | | g= | 4,15 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 537,38 | kNm | qRd | | | 78,78 | 56,78 | 42,50 | 32,71 | | | | | | | kN/m |
| | | Mrev | 352,99 | kNm | qrev | | | 50,33 | 35,87 | 26,49 | 20,06 | | | | | | | kN/m |
| | | Moo | 280,81 | kNm | qoo | | | 39,19 | 27,69 | 20,23 | 15,11 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 161,43 | kNm | qbal | | | 20,76 | 14,16 | 9,87 | 6,92 | | | | | | | kN/m |
| | 0 | VRd | 338,96 | kN | | | | | | | | | | | | | | kN/m |
| Liner top | L 12,5 : | d | 410 | mm | ulev | | | -14,1 | -18,2 | -22,1 | -25,7 | | | | | | | mm |
| | 4 | | | | uoo | | | 2,4 | 3,6 | 5,3 | 7,5 | | | | | | | mm |
| midtbund | 0 | At | 1,81E+05 | mm ² | u10kort | | | 2,6 | 4,8 | 8,3 | 13,2 | | | | | | | mm |
| | 12 | y | 236,4 | mm | u10lang | | | 6,0 | 11,2 | 19,0 | 30,5 | | | | | | | mm |
| | | lk | 3,57E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 36/48 | | g= | 4,15 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 613,57 | kNm | qRd | | | | 65,42 | 49,11 | 37,94 | 29,94 | | | | | | kN/m |
| | | Mrev | 408,33 | kNm | qrev | | | | 42,15 | 31,30 | 23,86 | 18,54 | | | | | | kN/m |
| | | Moo | 332,85 | kNm | qoo | | | | 33,59 | 24,75 | 18,68 | 14,34 | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 195,73 | kNm | qbal | | | | 18,04 | 12,84 | 9,28 | 6,73 | | | | | | kN/m |
| | 628 | VRd | 331,88 | kN | | | | | | | | | | | | | | kN/m |
| Liner top | L 12,5 : | d | 401 | mm | ulev | | | | -22,2 | -27,4 | -32,5 | -37,0 | | | | | | mm |
| | 4 | | | | uoo | | | | 3,0 | 4,5 | 6,5 | 9,1 | | | | | | mm |
| midtbund | 0 | At | 1,85E+05 | mm ² | u10kort | | | | 4,7 | 8,0 | 12,8 | 19,6 | | | | | | mm |
| | 14 | y | 239,0 | mm | u10lang | | | | 10,8 | 18,4 | 29,5 | 45,0 | | | | | | mm |
| | | lk | 3,68E+09 | mm ⁴ | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 36/54 | | g= | 4,67 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
|-----------|----------|------|----------|-----------------|---------|-----|--------|-------|-------|-------|-------|-------|-------|------|------|------|------|------|
| Armering: | | MRd | 574,10 | kNm | qRd | | 122,91 | 83,93 | 60,42 | 45,17 | | | | | | | | kN/m |
| | | Mrev | 375,73 | kNm | qrev | | 78,83 | 53,32 | 37,93 | 27,95 | | | | | | | | kN/m |
| | | Moo | 292,89 | kNm | qoo | | 60,42 | 40,53 | 28,54 | 20,76 | | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 204,83 | kNm | qbal | | 40,85 | 26,94 | 18,56 | 13,11 | | | | | | | | kN/m |
| | 0 | VRd | 391,87 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 474 | mm | ulev | | -9,4 | -13,1 | -16,9 | -20,8 | | | | | | | | mm |
| | | 2 | | | uoo | | -1,6 | -2,1 | -2,6 | -2,9 | | | | | | | | mm |
| midt | 0 | At | 2,00E+05 | mm ² | u10kort | | 0,9 | 1,9 | 3,5 | 5,9 | | | | | | | | mm |
| bund | 10 | y | 266,0 | mm | u10lang | | 2,1 | 4,3 | 8,0 | 13,6 | | | | | | | | mm |
| | | lk | 4,98E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 36/54 | | g= | 4,67 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 640,16 | kNm | qRd | | | 94,12 | 67,91 | 50,90 | 39,24 | | | | | | | kN/m |
| | | Mrev | 412,03 | kNm | qrev | | | 58,92 | 42,05 | 31,10 | 23,59 | | | | | | | kN/m |
| | | Moo | 326,23 | kNm | qoo | | | 45,68 | 32,32 | 23,65 | 17,71 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 192,65 | kNm | qbal | | | 25,06 | 17,18 | 12,06 | 8,55 | | | | | | | kN/m |
| | 0 | VRd | 388,57 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 470 | mm | ulev | | | -12,0 | -15,5 | -18,9 | -22,1 | | | | | | | mm |
| | | 4 | | | uoo | | | 1,4 | 2,2 | 3,3 | 4,8 | | | | | | | mm |
| midt | 0 | At | 2,02E+05 | mm ² | u10kort | | | 1,8 | 3,4 | 5,8 | 9,3 | | | | | | | mm |
| bund | 12 | y | 266,2 | mm | u10lang | | | 4,2 | 7,9 | 13,4 | 21,5 | | | | | | | mm |
| | | lk | 5,06E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 36/54 | | g= | 4,67 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 702,79 | kNm | qRd | | | | 75,02 | 56,34 | 43,54 | 34,38 | | | | | | kN/m |
| | | Mrev | 461,23 | kNm | qrev | | | | 47,63 | 35,37 | 26,97 | 20,96 | | | | | | kN/m |
| | | Moo | 374,26 | kNm | qoo | | | | 37,77 | 27,82 | 21,00 | 16,13 | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 227,01 | kNm | qbal | | | | 21,07 | 15,04 | 10,90 | 7,95 | | | | | | kN/m |
| | 0 | VRd | 381,48 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 461 | mm | ulev | | | | -18,7 | -23,2 | -27,5 | -31,5 | | | | | | mm |
| | | 4 | | | uoo | | | | 1,5 | 2,4 | 3,6 | 5,4 | | | | | | mm |
| midt | 0 | At | 2,03E+05 | mm ² | u10kort | | | | 3,4 | 5,8 | 9,3 | 14,2 | | | | | | mm |
| bund | 14 | y | 265,5 | mm | u10lang | | | | 7,8 | 13,3 | 21,4 | 32,6 | | | | | | mm |
| | | lk | 5,08E+09 | mm ⁴ | | | | | | | | | | | | | | |
| RB 36/54 | | g= | 4,67 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m |
| Armering: | | MRd | 760,18 | kNm | qRd | | | | | 61,32 | 47,47 | 37,57 | 30,24 | | | | | kN/m |
| | | Mrev | 509,85 | kNm | qrev | | | | | 39,59 | 30,30 | 23,66 | 18,74 | | | | | kN/m |
| | | Moo | 421,73 | kNm | qoo | | | | | 31,94 | 24,26 | 18,76 | 14,70 | | | | | kN/m |
| Sl. Arm. | As | Mbal | 261,03 | kNm | qbal | | | | | 17,99 | 13,24 | 9,84 | 7,32 | | | | | kN/m |
| | 0 | VRd | 376,16 | kN | | | | | | | | | | | | | | |
| Liner | L 12,5 : | d | 455 | mm | ulev | | | | | -27,4 | -32,8 | -38,0 | -42,6 | | | | | mm |
| | | 4 | | | uoo | | | | | 1,4 | 2,5 | 3,9 | 5,9 | | | | | mm |
| midt | 0 | At | 2,04E+05 | mm ² | u10kort | | | | | 5,8 | 9,3 | 14,1 | 20,7 | | | | | mm |
| bund | 16 | y | 264,9 | mm | u10lang | | | | | 13,3 | 21,3 | 32,5 | 47,5 | | | | | mm |
| | | lk | 5,10E+09 | mm ⁴ | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 36/60 | | | g= | 5,18 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | |
|-----------|---------------|------|----------|-----------------|---------|---------|-----|-----|--------|-------|-------|-------|-------|-------|-------|------|------|------|---|------|------|------|
| Armering: | | MRd | 744,56 | kNm | qRd | | | | 109,72 | 79,23 | 59,45 | 45,88 | | | | | | | | kN/m | | |
| | | Mrev | 470,57 | kNm | qrev | | | | 67,43 | 48,17 | 35,66 | 27,09 | | | | | | | | | kN/m | |
| | | Moo | 371,46 | kNm | qoo | | | | 52,14 | 36,93 | 27,06 | 20,29 | | | | | | | | | kN/m | |
| Sl. Arm. | As | Mbal | 223,96 | kNm | qbal | | | | 29,38 | 20,21 | 14,26 | 10,18 | | | | | | | | | kN/m | |
| | 0 | VRd | 438,17 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 530 | mm | ulev | | | | -10,2 | -13,3 | -16,3 | -19,1 | | | | | | | | | mm | |
| | | | | | uoo | | | | 0,8 | 1,3 | 2,1 | 3,2 | | | | | | | | | | mm |
| midtbund | 0 12 | At | 2,24E+05 | mm ² | u10kort | | | | 1,3 | 2,5 | 4,3 | 6,8 | | | | | | | | | mm | |
| | | y | 296,0 | mm | u10lang | | | | 3,1 | 5,7 | 9,8 | 15,7 | | | | | | | | | | mm |
| | | lk | 6,92E+09 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 36/60 | | | g= | 5,18 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | |
| Armering: | | MRd | 744,56 | kNm | qRd | | | | | 79,23 | 59,45 | 45,88 | 36,18 | | | | | | | | kN/m | |
| | | Mrev | 470,57 | kNm | qrev | | | | | 48,17 | 35,66 | 27,09 | 20,96 | | | | | | | | | kN/m |
| | | Moo | 371,46 | kNm | qoo | | | | | 36,93 | 27,06 | 20,29 | 15,45 | | | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 223,96 | kNm | qbal | | | | | 20,21 | 14,26 | 10,18 | 7,26 | | | | | | | | | kN/m |
| | 0 | VRd | 438,17 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 530 | mm | ulev | | | | | -13,3 | -16,3 | -19,1 | -21,6 | | | | | | | | | mm |
| | | | | | uoo | | | | | 1,3 | 2,1 | 3,2 | 4,6 | | | | | | | | | |
| midtbund | 0 12 | At | 2,24E+05 | mm ² | u10kort | | | | | 2,5 | 4,3 | 6,8 | 10,4 | | | | | | | | | mm |
| | | y | 296,0 | mm | u10lang | | | | | 5,7 | 9,8 | 15,7 | 23,9 | | | | | | | | | |
| | | lk | 6,92E+09 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 36/60 | | | g= | 5,18 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | |
| Armering: | | MRd | 822,38 | kNm | qRd | | | | | | 66,20 | 51,22 | 40,50 | 32,57 | | | | | | | kN/m | |
| | | Mrev | 529,08 | kNm | qrev | | | | | | 40,74 | 31,10 | 24,21 | 19,11 | | | | | | | | kN/m |
| | | Moo | 428,54 | kNm | qoo | | | | | | 32,02 | 24,21 | 18,62 | 14,49 | | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 266,03 | kNm | qbal | | | | | | 17,91 | 13,06 | 9,60 | 7,03 | | | | | | | | kN/m |
| | 0 | VRd | 431,08 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 521 | mm | ulev | | | | | | -20,1 | -24,0 | -27,5 | -30,6 | | | | | | | | mm |
| | | | | | uoo | | | | | | 1,1 | 1,9 | 3,1 | 4,7 | | | | | | | | |
| midtbund | 0 14 | At | 2,25E+05 | mm ² | u10kort | | | | | | 4,2 | 6,8 | 10,4 | 15,2 | | | | | | | | mm |
| | | y | 295,3 | mm | u10lang | | | | | | 9,8 | 15,6 | 23,8 | 34,9 | | | | | | | | |
| | | lk | 6,95E+09 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 36/60 | | | g= | 5,18 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | |
| Armering: | | MRd | 962,11 | kNm | qRd | | | | | | | 60,80 | 48,27 | 38,99 | 31,93 | | | | | | kN/m | |
| | | Mrev | 644,45 | kNm | qrev | | | | | | | 39,02 | 30,62 | 24,41 | 19,68 | | | | | | | kN/m |
| | | Moo | 541,10 | kNm | qoo | | | | | | | 31,93 | 24,88 | 19,66 | 15,69 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 349,05 | kNm | qbal | | | | | | | 18,76 | 14,21 | 10,84 | 8,28 | | | | | | | kN/m |
| | 0 | VRd | 421,63 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 510 | mm | ulev | | | | | | | -33,4 | -39,2 | -44,7 | -49,6 | | | | | | | mm |
| | | | | | uoo | | | | | | | -0,5 | 0,1 | 1,0 | 2,4 | | | | | | | |
| midtbund | 0 18 | At | 2,27E+05 | mm ² | u10kort | | | | | | | 6,7 | 10,3 | 15,0 | 21,3 | | | | | | | mm |
| | | y | 293,8 | mm | u10lang | | | | | | | 15,5 | 23,6 | 34,6 | 49,0 | | | | | | | |
| | | lk | 7,01E+09 | mm ⁴ | | | | | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 36/72 | | | | g= | 6,22 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | |
|-----------------|---------------|------------------|----------|-----------------|------|------|---------------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|------|------|---|------|------|
| Armering: | | M _{Rd} | 848,62 | kNm | | | q _{Rd} | | | | 89,99 | 67,44 | 51,98 | 40,92 | | | | | | | kN/m | |
| | | M _{rev} | 549,33 | kNm | | | q _{rev} | | | | 56,06 | 41,46 | 31,46 | 24,30 | | | | | | | | kN/m |
| | | M _{oo} | 413,34 | kNm | | | q _{oo} | | | | 40,64 | 29,66 | 22,13 | 16,74 | | | | | | | | kN/m |
| Sl. Arm. | As | M _{bal} | 299,26 | kNm | | | q _{bal} | | | 27,71 | 19,76 | 14,30 | 10,40 | | | | | | | | | kN/m |
| | 0 | V _{Rd} | 540,68 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 2 | d | 654 | mm | | | u _{lev} | | | | -10,7 | -13,2 | -15,7 | -17,9 | | | | | | | | mm |
| | | | | | | | u _{oo} | | | | -2,2 | -2,6 | -3,0 | -3,2 | | | | | | | | mm |
| midtbund | 0 10 | A _t | 2,65E+05 | mm ² | | | u _{10kort} | | | | 1,5 | 2,5 | 4,0 | 6,1 | | | | | | | | mm |
| | | y | 355,6 | mm | | | u _{10lang} | | | | 3,4 | 5,8 | 9,3 | 14,1 | | | | | | | | mm |
| | | l _k | 1,17E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 36/72 | | | | g= | 6,22 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | |
| Armering: | | M _{Rd} | 1085,66 | kNm | | | q _{Rd} | | | | | 88,02 | 68,24 | 54,09 | 43,63 | | | | | | | kN/m |
| | | M _{rev} | 713,18 | kNm | | | q _{rev} | | | | | 55,69 | 42,69 | 33,40 | 26,52 | | | | | | | kN/m |
| | | M _{oo} | 572,35 | kNm | | | q _{oo} | | | | | 43,46 | 33,04 | 25,58 | 20,06 | | | | | | | kN/m |
| Sl. Arm. | As | M _{bal} | 425,02 | kNm | | | q _{bal} | | | | 30,67 | 22,93 | 17,39 | 13,29 | | | | | | | | kN/m |
| | 0 | V _{Rd} | 530,29 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 2 | d | 641 | mm | | | u _{lev} | | | | | -19,9 | -24,1 | -28,3 | -32,3 | | | | | | | mm |
| | | | | | | | u _{oo} | | | | | -4,9 | -5,9 | -6,7 | -7,5 | | | | | | | mm |
| midtbund | 0 14 | A _t | 2,67E+05 | mm ² | | | u _{10kort} | | | | 2,5 | 4,0 | 6,1 | 8,9 | | | | | | | | mm |
| | | y | 353,7 | mm | | | u _{10lang} | | | | 5,7 | 9,2 | 14,0 | 20,5 | | | | | | | | mm |
| | | l _k | 1,18E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 36/72 | | | | g= | 6,22 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | |
| Armering: | | M _{Rd} | 1267,05 | kNm | | | q _{Rd} | | | | | | 80,68 | 64,17 | 51,95 | 42,66 | | | | | | kN/m |
| | | M _{rev} | 832,12 | kNm | | | q _{rev} | | | | | | 50,85 | 40,01 | 31,99 | 25,88 | | | | | | kN/m |
| | | M _{oo} | 685,41 | kNm | | | q _{oo} | | | | | | 40,79 | 31,86 | 25,25 | 20,22 | | | | | | kN/m |
| Sl. Arm. | As | M _{bal} | 458,25 | kNm | | | q _{bal} | | | | | 25,21 | 19,24 | 14,82 | 11,46 | | | | | | | kN/m |
| | 0 | V _{Rd} | 520,84 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 630 | mm | | | u _{lev} | | | | | | -25,9 | -30,6 | -35,1 | -39,3 | | | | | | mm |
| | | | | | | | u _{oo} | | | | | | -2,1 | -2,1 | -1,9 | -1,4 | | | | | | mm |
| midtbund | 0 18 | A _t | 2,70E+05 | mm ² | | | u _{10kort} | | | | | 3,9 | 6,0 | 8,7 | 12,4 | | | | | | | mm |
| | | y | 353,3 | mm | | | u _{10lang} | | | | | 9,0 | 13,7 | 20,1 | 28,5 | | | | | | | mm |
| | | l _k | 1,20E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |
| RB 36/72 | | | | g= | 6,22 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | |
| Armering: | | M _{Rd} | 1348,02 | kNm | | | q _{Rd} | | | | | | | 68,67 | 55,67 | 45,79 | 38,09 | | | | | kN/m |
| | | M _{rev} | 898,00 | kNm | | | q _{rev} | | | | | | | 43,67 | 35,01 | 28,42 | 23,30 | | | | | kN/m |
| | | M _{oo} | 749,80 | kNm | | | q _{oo} | | | | | | | 35,43 | 28,21 | 22,71 | 18,43 | | | | | kN/m |
| Sl. Arm. | As | M _{bal} | 504,47 | kNm | | | q _{bal} | | | | | | 21,81 | 16,94 | 13,24 | 10,36 | | | | | | kN/m |
| | 0 | V _{Rd} | 514,23 | kN | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 622 | mm | | | u _{lev} | | | | | | | -34,3 | -39,7 | -44,7 | -49,4 | | | | | mm |
| | | | | | | | u _{oo} | | | | | | | -2,9 | -2,9 | -2,6 | -1,9 | | | | | mm |
| midtbund | 0 20 | A _t | 2,71E+05 | mm ² | | | u _{10kort} | | | | | | | 6,0 | 8,7 | 12,4 | 17,0 | | | | | mm |
| | | y | 352,6 | mm | | | u _{10lang} | | | | | | | 13,7 | 20,1 | 28,4 | 39,1 | | | | | mm |
| | | l _k | 1,21E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 36/84 | | | g= | 7,26 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | | | |
|-----------------|---------------|------|----------|-----------------|------|---------|-----|-----|-----|-------|--------|-------|-------|-------|-------|-------|-------|------|---|------|------|------|------|------|
| Armering: | | MRd | 1317,20 | kNm | | qRd | | | | | 107,08 | 83,09 | 65,92 | 53,22 | | | | | | kN/m | | | | |
| | | Mrev | 835,30 | kNm | | qrev | | | | | 65,25 | 50,03 | 39,15 | 31,09 | | | | | | | kN/m | | | |
| | | Moo | 644,12 | kNm | | qoo | | | | | 48,66 | 36,92 | 28,53 | 22,32 | | | | | | | kN/m | | | |
| Sl. Arm. | As | Mbal | 422,92 | kNm | | qbal | | | | 29,45 | 21,75 | 16,24 | 12,16 | | | | | | | | kN/m | | | |
| | 0 | VRd | 629,50 | kN | | | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 761 | mm | | ulev | | | | | -12,1 | -14,5 | -16,9 | -19,0 | | | | | | | mm | | | |
| | | | uoo | | | | | | | | | -0,6 | -0,5 | -0,3 | 0,2 | | | | | | | mm | | |
| midtbund | 0 14 | At | 3,11E+05 | mm ² | | u10kort | | | | | 1,6 | 2,5 | 3,8 | 5,6 | | | | | | | mm | | | |
| | | y | 414,7 | mm | | u10lang | | | | | 3,6 | 5,8 | 8,8 | 12,8 | | | | | | | | mm | | |
| | | lk | 1,89E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | | | |
| RB 36/84 | | | g= | 7,26 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | | | |
| Armering: | | MRd | 1450,83 | kNm | | qRd | | | | | | 92,25 | 73,34 | 59,36 | 48,72 | | | | | | kN/m | | | |
| | | Mrev | 930,80 | kNm | | qrev | | | | | | 56,58 | 44,45 | 35,48 | 28,65 | | | | | | | kN/m | | |
| | | Moo | 736,81 | kNm | | qoo | | | | | | 43,28 | 33,68 | 26,57 | 21,17 | | | | | | | kN/m | | |
| Sl. Arm. | As | Mbal | 495,65 | kNm | | qbal | | | | | 26,74 | 20,28 | 15,50 | 11,86 | | | | | | | | kN/m | | |
| | 0 | VRd | 624,18 | kN | | | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 755 | mm | | ulev | | | | | -17,6 | -20,6 | -23,6 | -26,2 | | | | | | | | mm | | |
| | | | uoo | | | | | | | | | -1,5 | -1,5 | -1,4 | -1,0 | | | | | | | | mm | |
| midtbund | 0 16 | At | 3,12E+05 | mm ² | | u10kort | | | | | | 2,5 | 3,8 | 5,6 | 7,9 | | | | | | | mm | | |
| | | y | 413,7 | mm | | u10lang | | | | | | 5,7 | 8,7 | 12,8 | 18,1 | | | | | | | | mm | |
| | | lk | 1,90E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | | | |
| RB 36/84 | | | g= | 7,26 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | | | |
| Armering: | | MRd | 1554,84 | kNm | | qRd | | | | | | | 79,12 | 64,13 | 52,73 | 43,85 | | | | | | kN/m | | |
| | | Mrev | 986,23 | kNm | | qrev | | | | | | | 47,53 | 38,02 | 30,79 | 25,16 | | | | | | | kN/m | |
| | | Moo | 787,37 | kNm | | qoo | | | | | | | 36,49 | 28,89 | 23,12 | 18,63 | | | | | | | kN/m | |
| Sl. Arm. | As | Mbal | 472,16 | kNm | | qbal | | | | | | | 18,97 | 14,42 | 10,96 | 8,26 | | | | | | | kN/m | |
| | 0 | VRd | 620,05 | kN | | | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 6 | d | 750 | mm | | ulev | | | | | | | -19,2 | -21,8 | -24,1 | -26,0 | | | | | | | mm | |
| | | | uoo | | | | | | | | | | | 2,7 | 3,8 | 5,2 | 6,9 | | | | | | | mm |
| midtbund | 0 18 | At | 3,14E+05 | mm ² | | u10kort | | | | | | | 3,8 | 5,5 | 7,8 | 10,7 | | | | | | | mm | |
| | | y | 414,0 | mm | | u10lang | | | | | | | | 8,6 | 12,6 | 17,9 | 24,7 | | | | | | | mm |
| | | lk | 1,92E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | | | |
| RB 36/84 | | | g= | 7,26 | kN/m | længde: | 4,8 | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | m | | | | | |
| Armering: | | MRd | 1768,75 | kNm | | qRd | | | | | | | | 73,95 | 60,98 | 50,89 | 42,88 | | | | | | kN/m | |
| | | Mrev | 1155,97 | kNm | | qrev | | | | | | | | 45,82 | 37,34 | 30,74 | 25,51 | | | | | | | kN/m |
| | | Moo | 952,76 | kNm | | qoo | | | | | | | | 36,49 | 29,50 | 24,06 | 19,75 | | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 595,27 | kNm | | qbal | | | | | | | | 20,07 | 15,71 | 12,31 | 9,62 | | | | | | | kN/m |
| | 0 | VRd | 608,03 | kN | | | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 6 | d | 735 | mm | | ulev | | | | | | | | -29,4 | -33,2 | -36,7 | -39,7 | | | | | | | mm |
| | | | uoo | | | | | | | | | | | | 1,7 | 2,7 | 4,0 | 5,6 | | | | | | |
| midtbund | 0 22 | At | 3,17E+05 | mm ² | | u10kort | | | | | | | | 5,5 | 7,7 | 10,7 | 14,3 | | | | | | | mm |
| | | y | 412,5 | mm | | u10lang | | | | | | | | | 12,6 | 17,8 | 24,5 | 33,0 | | | | | | |
| | | lk | 1,93E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 36/96 | | | g= | 8,29 | kN/m | længde: | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | m | | |
|-----------|---------------|------|----------|-----------------|---------|---------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|
| Armering: | | MRd | 1738,64 | kNm | qRd | | | | | | | 88,30 | 71,53 | 58,78 | 48,86 | | | | | kN/m | |
| | | Mrev | 1111,88 | kNm | qrev | | | | | | | 53,48 | 42,76 | 34,60 | 28,26 | | | | | | kN/m |
| | | Moo | 861,92 | kNm | qoo | | | | | | | 39,59 | 31,28 | 24,96 | 20,04 | | | | | | kN/m |
| Sl. Arm. | As | Mbal | 590,00 | kNm | qbal | | | | | | | 24,48 | 18,79 | 14,47 | 11,10 | | | | | kN/m | |
| | 0 | VRd | 723,39 | kN | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 875 | mm | ulev | | | | | | | -16,7 | -19,1 | -21,4 | -23,3 | | | | | mm | |
| | | | | | uoo | | | | | | | | -1,8 | -1,8 | -1,6 | -1,3 | | | | | mm |
| midtbund | 0 16 | At | 3,56E+05 | mm ² | u10kort | | | | | | | 2,6 | 3,7 | 5,3 | 7,3 | | | | | mm | |
| | | y | 473,5 | mm | u10lang | | | | | | | | 5,9 | 8,6 | 12,2 | 16,8 | | | | | mm |
| | | lk | 2,82E+10 | mm ⁴ | | | | | | | | | | | | | | | | | |
| RB 36/96 | | | g= | 8,29 | kN/m | længde: | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | m | | |
| Armering: | | MRd | 1897,43 | kNm | qRd | | | | | | | | 78,82 | 64,91 | 54,08 | 45,49 | | | | | kN/m |
| | | Mrev | 1225,64 | kNm | qrev | | | | | | | | 47,98 | 38,99 | 32,00 | 26,45 | | | | | kN/m |
| | | Moo | 972,16 | kNm | qoo | | | | | | | | 36,34 | 29,21 | 23,66 | 19,26 | | | | | kN/m |
| Sl. Arm. | As | Mbal | 677,86 | kNm | qbal | | | | | | | | 22,83 | 17,86 | 13,99 | 10,92 | | | | | kN/m |
| | 0 | VRd | 719,26 | kN | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 870 | mm | ulev | | | | | | | | -22,8 | -25,8 | -28,4 | -30,8 | | | | | mm |
| | | | | | uoo | | | | | | | | | -3,1 | -3,2 | -3,1 | -2,8 | | | | |
| midtbund | 0 18 | At | 3,57E+05 | mm ² | u10kort | | | | | | | | 3,7 | 5,3 | 7,3 | 9,8 | | | | | mm |
| | | y | 472,5 | mm | u10lang | | | | | | | | | 8,6 | 12,1 | 16,7 | 22,5 | | | | |
| | | lk | 2,83E+10 | mm ⁴ | | | | | | | | | | | | | | | | | |
| RB 36/96 | | | g= | 8,29 | kN/m | længde: | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | m | | |
| Armering: | | MRd | 2011,80 | kNm | qRd | | | | | | | | | | 69,32 | 57,84 | 48,73 | 41,38 | | | kN/m |
| | | Mrev | 1282,12 | kNm | qrev | | | | | | | | | | 41,17 | 33,85 | 28,05 | 23,36 | | | kN/m |
| | | Moo | 1023,30 | kNm | qoo | | | | | | | | | | 31,18 | 25,34 | 20,71 | 16,97 | | | kN/m |
| Sl. Arm. | As | Mbal | 643,53 | kNm | qbal | | | | | | | | | | 16,53 | 12,86 | 9,95 | 7,60 | | | kN/m |
| | 0 | VRd | 712,65 | kN | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 6 | d | 862 | mm | ulev | | | | | | | | | | -23,8 | -26,1 | -28,1 | -29,5 | | | mm |
| | | | | | uoo | | | | | | | | | | | 1,8 | 2,8 | 4,0 | 5,5 | | |
| midtbund | 0 20 | At | 3,59E+05 | mm ² | u10kort | | | | | | | | | | 5,2 | 7,2 | 9,7 | 12,8 | | | mm |
| | | y | 472,9 | mm | u10lang | | | | | | | | | | | 12,0 | 16,6 | 22,3 | 29,3 | | |
| | | lk | 2,86E+10 | mm ⁴ | | | | | | | | | | | | | | | | | |
| RB 36/96 | | | g= | 8,29 | kN/m | længde: | 6,0 | 7,2 | 8,4 | 9,6 | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | m | | |
| Armering: | | MRd | 2275,78 | kNm | qRd | | | | | | | | | | | 66,52 | 56,21 | 47,90 | 41,09 | | kN/m |
| | | Mrev | 1488,43 | kNm | qrev | | | | | | | | | | | 40,63 | 33,89 | 28,46 | 24,01 | | kN/m |
| | | Moo | 1223,90 | kNm | qoo | | | | | | | | | | | 31,94 | 26,40 | 21,93 | 18,27 | | kN/m |
| Sl. Arm. | As | Mbal | 796,76 | kNm | qbal | | | | | | | | | | | 17,90 | 14,29 | 11,38 | 9,00 | | kN/m |
| | 0 | VRd | 702,72 | kN | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 6 | d | 850 | mm | ulev | | | | | | | | | | | -35,0 | -38,4 | -41,3 | -43,7 | | mm |
| | | | | | uoo | | | | | | | | | | | | 0,1 | 0,9 | 1,9 | 3,4 | |
| midtbund | 0 24 | At | 3,61E+05 | mm ² | u10kort | | | | | | | | | | | 7,2 | 9,6 | 12,7 | 16,4 | | mm |
| | | y | 471,2 | mm | u10lang | | | | | | | | | | | | 16,4 | 22,1 | 29,2 | 37,7 | |
| | | lk | 2,88E+10 | mm ⁴ | | | | | | | | | | | | | | | | | |

Bæreevnetabel

22-06-2021

| RB 36/108 | | | g= | 9,33 | kN/m | længde: | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | 20,4 | 21,6 | 22,8 | 24,0 | m | | | | |
|------------------|---------------|------|----------|-----------------|---------|---------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-----|------|------|------|------|
| Armering: | | MRd | 2394,55 | kNm | qRd | | | | | | | 58,54 | 49,79 | 42,63 | 36,70 | | | | | kN/m | | | |
| | | Mrev | 1553,71 | kNm | qrev | | | | | | | 34,71 | 29,03 | 24,39 | 20,54 | | | | | | kN/m | | |
| | | Moo | 1233,36 | kNm | qoo | | | | | | | 25,63 | 21,12 | 17,43 | 14,38 | | | | | | kN/m | | |
| Sl. Arm. | As | Mbal | 880,77 | kNm | qbal | | | | | | | 15,63 | 12,42 | 9,78 | 7,60 | | | | | | kN/m | | |
| | 0 | VRd | 811,85 | kN | | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 982 | mm | ulev | | | | | | | -30,1 | -32,4 | -34,2 | -35,4 | | | | | | mm | | |
| | | | | | uoo | | | | | | | | -4,6 | -4,5 | -4,2 | -3,6 | | | | | | mm | |
| midtbund | 0 20 | At | 4,01E+05 | mm ² | u10kort | | | | | | | 6,9 | 9,1 | 11,7 | 14,9 | | | | | | mm | | |
| | | y | 531,4 | mm | u10lang | | | | | | | 15,8 | 20,8 | 27,0 | 34,4 | | | | | | | mm | |
| | | lk | 4,02E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | | |
| RB 36/108 | | | g= | 9,33 | kN/m | længde: | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | 20,4 | 21,6 | 22,8 | 24,0 | m | | | | |
| Armering: | | MRd | 2561,18 | kNm | qRd | | | | | | | | 53,91 | 46,25 | 39,90 | 34,58 | | | | | kN/m | | |
| | | Mrev | 1675,27 | kNm | qrev | | | | | | | | 32,03 | 27,02 | 22,87 | 19,39 | | | | | | kN/m | |
| | | Moo | 1351,38 | kNm | qoo | | | | | | | | 24,04 | 20,00 | 16,65 | 13,84 | | | | | | kN/m | |
| Sl. Arm. | As | Mbal | 973,06 | kNm | qbal | | | | | | | | 14,69 | 11,79 | 9,37 | 7,35 | | | | | | kN/m | |
| | 0 | VRd | 806,44 | kN | | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 4 | d | 975 | mm | ulev | | | | | | | | -37,4 | -39,9 | -41,9 | -43,2 | | | | | | mm | |
| | | | | | uoo | | | | | | | | | -6,2 | -6,1 | -5,8 | -5,1 | | | | | | mm |
| midtbund | 0 22 | At | 4,02E+05 | mm ² | u10kort | | | | | | | | 9,0 | 11,7 | 14,9 | 18,7 | | | | | | mm | |
| | | y | 530,4 | mm | u10lang | | | | | | | | 20,8 | 26,9 | 34,3 | 43,1 | | | | | | | mm |
| | | lk | 4,04E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | | |
| RB 36/108 | | | g= | 9,33 | kN/m | længde: | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | 20,4 | 21,6 | 22,8 | 24,0 | m | | | | |
| Armering: | | MRd | 2690,69 | kNm | qRd | | | | | | | | | 49,06 | 42,39 | 36,81 | 32,08 | | | | | kN/m | |
| | | Mrev | 1742,81 | kNm | qrev | | | | | | | | | 28,49 | 24,17 | 20,55 | 17,49 | | | | | kN/m | |
| | | Moo | 1412,44 | kNm | qoo | | | | | | | | | 21,32 | 17,82 | 14,89 | 12,41 | | | | | kN/m | |
| Sl. Arm. | As | Mbal | 937,71 | kNm | qbal | | | | | | | | | 11,02 | 8,69 | 6,75 | 5,10 | | | | | kN/m | |
| | 0 | VRd | 801,93 | kN | | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 6 | d | 970 | mm | ulev | | | | | | | | | -37,3 | -39,0 | -39,9 | -40,1 | | | | | mm | |
| | | | | | uoo | | | | | | | | | | 0,8 | 2,0 | 3,6 | 5,6 | | | | | mm |
| midtbund | 0 24 | At | 4,04E+05 | mm ² | u10kort | | | | | | | | | 11,6 | 14,8 | 18,6 | 23,0 | | | | | mm | |
| | | y | 530,8 | mm | u10lang | | | | | | | | | 26,6 | 33,9 | 42,7 | 53,0 | | | | | | mm |
| | | lk | 4,07E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | | |
| RB 36/108 | | | g= | 9,33 | kN/m | længde: | 10,8 | 12,0 | 13,2 | 14,4 | 15,6 | 16,8 | 18,0 | 19,2 | 20,4 | 21,6 | 22,8 | 24,0 | m | | | | |
| Armering: | | MRd | 2971,25 | kNm | qRd | | | | | | | | | | 47,79 | 41,62 | 36,39 | 31,94 | | | | kN/m | |
| | | Mrev | 1964,77 | kNm | qrev | | | | | | | | | | 28,44 | 24,36 | 20,91 | 17,96 | | | | | kN/m |
| | | Moo | 1628,61 | kNm | qoo | | | | | | | | | | 21,98 | 18,59 | 15,73 | 13,29 | | | | | kN/m |
| Sl. Arm. | As | Mbal | 1099,94 | kNm | qbal | | | | | | | | | | 11,81 | 9,53 | 7,60 | 5,95 | | | | | kN/m |
| | 0 | VRd | 790,12 | kN | | | | | | | | | | | | | | | | | | | |
| Liner top | L 12,5 : 6 | d | 956 | mm | ulev | | | | | | | | | | -50,2 | -52,6 | -54,2 | -54,9 | | | | | mm |
| | | | | | uoo | | | | | | | | | | | -1,1 | 0,1 | 1,6 | 3,6 | | | | |
| midtbund | 0 28 | At | 4,06E+05 | mm ² | u10kort | | | | | | | | | | 14,7 | 18,5 | 22,9 | 28,1 | | | | | mm |
| | | y | 529,2 | mm | u10lang | | | | | | | | | | 33,8 | 42,5 | 52,7 | 64,7 | | | | | mm |
| | | lk | 4,09E+10 | mm ⁴ | | | | | | | | | | | | | | | | | | | |